







■ *Accessories for A004-9 models*

	Description	Part number	Suitable for
	Protective sleeve	1051.1569	SE 1051 A004-9 KE 1051 A004-9
 <i>New</i>	Plug cap	1051.1576	All SE, DS, DSR
 <i>New</i>	Receptacle cap	1051.1577	All KE, DKE, DKBE, DB
 <i>Soon obsolete</i>	Plug cap	1051.1570 Replaced by 1051.1576	SE 1051 A004-9
 <i>Soon obsolete</i>	Cable receptacle cap	1051.1571 Replaced by 1051.1577	KE 1051 A004-9

■ Combined sleeve and cap for A004-4 models

	Description	Part number	Suitable for
	Protective sleeve L1= 122	1051.875	SE 1051 A004-4 1.4/6.6/12.6 SE 1051 A004-4T1895/13.6
	Protective sleeve L2= 104	1051.874	SE 1051 A004-4 2.1Ls/10s/15.2
	Protective sleeve L1= 140	1051.876	KE 1051 A004-4 1.4/6.6/12.6 KE 1051 A004-4T1895/13.6
	Protective sleeve L2= 122	1051.877	KE 1051 A004-4 2.1Ls/10s/15.2

■ Caps for A004-3 and A004-4 models

	Description	Part number	Suitable for
 <p><i>Soon obsolete</i></p>	Cap with fastener eyelet	1051.887 Replaced by 1051.1576	DS, DSR
 <p><i>Soon obsolete</i></p>	Cap with fastener eyelet	1051.897 Replaced by 1051.1577	DB, DKE
 <p><i>Soon obsolete</i></p>	Sealing cover in POM with O-ring and plastic coated stainless steel wire (Approx. length 400mm)	1051.816 Replaced by 1051.1576	SE, DS, DSR
 <p><i>Soon obsolete</i></p>	Sealing cover in POM with O-ring and plastic coated stainless steel wire (Approx. length 400mm)	1051.817 Replaced by 1051.1577	KE, DB, DKE

■ *Spanner for inner threaded ring*



Part number	Suitable for
TQ00.001	DKE+DSR 1051 A004-3 1.0/4.5/8.7+9.4 DKE+DSR 1051 A004-3 1.4/4.5/9.4 DKE+DSR 1051 A004-3 1.4/6.6/11.3
TQ00.002	SE+KE+DKE+DSR 1051 A004-4 1.4/6.6/12.6 SE+KE+DKE+DSR 1051 A004-4 T1895/13.6 SE+KE+DKE+DSR 1051 A004-4 2.1Ls/10s/15.2

■ *Hook spanner for slotted nuts*



Part number	Suitable for
TX00.105	Ø 30-32
TX00.106	Ø 34-36

■ *Nutdriver*



Part number	Suitable for
TQ00.005	Ø 31 DKBE 1051 A004-3+

■ *Shield crimp tool without dies*



Part number	Description
TX00.245	Daniels HX4 (M 22520/5-01)

■ *Shield crimp tool dies*



Part number	Hexagon width	Description
TX00.270	10.9	Daniels Y178 (M 22520/5-61)
TX00.271	13.51	Daniels Y151 (M 22520/5-27)

■ *Contact crimp tool*



Part number	Description
TX00.242	Buchanan 615708


■ *Contact crimp tool positioner*



Part number	Suitable for
TX00.315	All connectors corresponding to cable groups 1 to 4 ¹
TX00.317	All connectors corresponding to cable groups 5 to 6 ¹

¹ See list of recommended cables on page 23

■ Crimp ferrules




Part number	A	B	Suitable for
1051.910	11.8	12.5	SE 1051 A004-4T1895/13.6 KE 1051 A004-4T1895/13.6 DKE 1051 A004-4T1895/13.6 DSR 1051 A004-4T1895/13.6 DSR 1051 A004-4 2.1Ls/10s/15.2
1051.922	14.3	15.5	SE 1051 A004-4 2.1Ls/10s/15.2 KE 1051 A004-4 2.1Ls/10s/15.2 DKE 1051 A004-4 2.1Ls/10s/15.2

■ Solder lug with claws




Part number	D	Suitable for
1051.311	30	DB
1051.615	34	DS

■ Hexagon and slotted nuts



Part number	M	Suitable for
105.724	M20x1	DB
1051.611	M28x1	DS, DSR
105.865	M25x1	DKE 1051 A004-3
106.395	M30x1	DKE 1051 A004-4

■ Crimp and/or solder contacts



Part number	D	Suitable for
1051.900	1.0	All connectors corresponding to cable groups 1 and 2 ¹ , except: SE 1051 A004-9 1.4/4.5/9.4 KE 1051 A004-9 1.4/4.5/9.4 DKE 1051 A004-3 1.4/4.5/9.4
1051.905	1.5	All connectors corresponding to cable groups 3 and 4 ¹ , plus: SE 1051 A004-9 1.4/4.5/9.4 KE 1051 A004-9 1.4/4.5/9.4 DKE 1051 A004-3 1.4/4.5/9.4
1051.919	1.8	SE 1051 A004-HD Pro+ KE 1051 A004-HD Pro+
1051.906	2.5	All connectors corresponding to cable groups 5 and 6 ¹

¹ See list of recommended cables on page 23
All dimensions shown are in millimeters and are for reference only.